

Cisco Business Edition 4000

Simple, Cloud-Managed Office Communications for Small Business.

Product Overview

The Cisco® Business Edition 4000 (BE4000) is an easy-to-use, cloud-managed communications system based on proven IP telephony and voicemail technology. It is ideal for small to midsize businesses and supports up to 200 phones. The BE4000 can help reduce your communications costs and is easy to set up and manage.



Features and Benefits

The following table describes how the BE4000 solution can help your organization.

Feature	Benefit
Simple cloud-hosted management	Lower IT administration overheads. With customized views for partners, IT administrators, and end users, the BE4000 cloud-hosted management portal gives easy access to the settings and information you need to rapidly deploy a new system and make day-to-day changes. Intuitive menus make it easy to add new users and phones and turn on calling features. End-user self-service menus mean your staff can set personal preferences such as speed dials and passwords for themselves.
Comprehensive calling features	Never miss that important call. With the Cisco BE4000, enjoy high-quality, reliable communications with your coworkers, customers, suppliers, and partners. Essential features such as auto-attendant, call park, hold and transfer, hunt groups, single number reach, and many more mean your calls always get routed to the right place.
Proven voice over IP (VoIP) telephony	Reduced communications costs with proven Cisco VoIP telephony. Lower your long-distance and international calling charges with VoIP technology. Reduce the risk of outages and save on expensive maintenance and repair costs for your existing, obsolete key telephone system or private branch exchange (PBX).
Support for the latest Cisco IP phones	Flexibility and choice. The BE4000 supports a broad range of the latest Cisco IP Phone 7800 and 8800 Series devices. Choose from a range of models that are suited to different users' requirements and work environments.
Flexible consumption models	Simpler investment planning with investment protection. 1-, 3-, and 5-year prepaid license subscriptions mean you can plan your investments to match your budget cycles. At the end of the term, simply renew or migrate your phones to a complete cloud service like Cisco Webex®.

Quick and Easy to Deploy and Manage

The BE4000 is a completely cloud-managed IP phone system. The cloud management portal features simple and intuitive management capabilities that make the BE4000 quick to deploy and simple to manage and use. New users and phones can be added in minutes. You can manage all your office locations from anywhere, and end users can easily customize their own phone and voicemail settings.

Cisco BE4000 Solution Components

Component	Description
Cisco Business Edition 4000	
Cisco BE4000 appliance 	<ul style="list-style-type: none">The Cisco BE4000 is a dedicated voice appliance that provides essential IP telephony and voicemail services. It comes in a compact, small-footprint form factorIf required, simply choose the Cisco network interface module you need to connect to the public switched telephone network (PSTN). Select up to two, choosing from PRI, BRI, FXS, and FXOAlternatively, the BE4000 supports SIP trunking, to enable you to connect to an IP PSTN service from your preferred VoIP service provider
BE4000 prepaid term-based subscription plans 	<ul style="list-style-type: none">1-, 3-, and 5-year prepaid optionsEach user subscription entitles that user to connect a single device (such as a phone, fax, or conference phone) to the system and provides a single user voice mailbox for the duration of the planPlans include Cisco Software Support Service, entitling you to:<ul style="list-style-type: none">All BE4000 system software upgrades24x7 Cisco Technical Assistance Center (TAC) supportPlans also include access to the Business Edition Management Portal for:<ul style="list-style-type: none">Rapid preconfiguration and deployment of BE4000 solutionsOngoing system moves, adds, changes, and deletions (MACDs)End-user portal access for personal preference settings
Cisco Smart Net Total Care™ Service 	The Cisco Smart Net Total Care Service can be purchased to cover the BE4000 solution hardware and provides the following benefits: <ul style="list-style-type: none">Global, 24-hour access to the Cisco TAC for covered devicesAdvance hardware replacement, including 2-hour, 4-hour, and next-business-day optionsAccess to OS software updates and upgrades24-hour access to Cisco online resourcesComprehensive, web-based user community for self-service support of smart capabilitiesProactive diagnostics and immediate alerts on devices enabled with Smart Call Home
Cisco IP Phones	
Cisco IP Phone 7800 Series 	<ul style="list-style-type: none">Ideal for common areas, knowledge workers, administrative staff, and managersCost-effective, full-featured IP telephony for small to large organizationsRange of models supporting light to active voice communications needsClear sound from enhanced acoustics and wideband audio to avoid fatigueCompatible with Cisco on-premises, Cisco cloud, and many third-party solutions

Component	Description
Cisco Unified IP Phone 8800 Series 	<ul style="list-style-type: none"> Ideal for onsite and remote knowledge workers, administrative staff, and managers Enjoy clear IP telephony with enhanced acoustics to increase productivity Work your way, with advanced features such as personal mobile device integration Compatible with Cisco on-premises, Cisco cloud, and many third-party solutions
Optional – Cloud Collaboration	
Cisco Webex 	<ul style="list-style-type: none"> With Cisco Webex, your people and teams can create spaces to send messages, share files, and stay in contact wherever they go When they need to meet, they'll spend less time getting caught up and more time getting stuff done When they are ready to meet, they can simply join from a smartphone or desktop Extend collaboration even further by adding a Cisco Webex Teams and Meeting plan alongside your BE4000 Sign up for free at webex.com. Or choose a paid plan And when you are ready for a fully integrated solution with meetings, messaging, and calling, you can migrate and register your phones to the Cisco Webex service. Or migrate to a larger Business Edition 6000 solution, featuring Cisco Webex Hybrid Services

Product Specifications

BE4000 Solution Features and Capabilities	
BE4000 Plan Features	Description
Term options	1-, 3-, and 5-year prepaid plan options are available
Plan entitlement	A licensed user is entitled to connect one device, access one voice mailbox, and access the BE4000 management portal for the duration of the subscription
Support	Access to Cisco TAC 24 hours per day, 365 days per year
Software upgrades	Software subscription includes major and minor upgrades
Devices Supported	
Cisco IP Phone 7800 Series models supported	7811, 7821, 7832, 7841, 7861
Cisco IP Phone 8800 Series models supported	8811, 8821, 8831, 8832, 8841, 8845, 8851, 8851NR, 8861, 8865
Analog devices	Analog phones, fax machines, etc. supported via NIM FXS ports
Total system capacity	Up to 200 devices supported on a single BE4000 appliance
Voicemail Features	
Maximum number of mailboxes	Up to 200 per BE4000 appliance
Message storage capacity	Up to 120 hours of voicemail messages
Business Edition Management Features	
Role-based access to portal	The Business Edition Management Portal for the BE4000 provides highly secure, customized access for Cisco partner administrators, customer IT administrators, and end users Administrators can view and update key system settings and enable end users to log in to the system to perform common self-help tasks such as managing their password updates and speed dial settings
Status monitoring	Administrators can view key system settings as well as system health
BE4000 Appliance Specifications	
Dimensions	1.75 x 14.55 x 11.60 in (44.55 x 369.57 x 294.64 mm)
Weight	7.7 lb (3.5 kg) + 1.2 lb (0.66 kg) external power supply
RJ-45-based ports	2
Network interface module (NIM) slots	2
Safety compliance	UL 60950-1, CAN/CSA C22.2 No. 60950-1, EN 60950-1, AS/NZS 60950-1, IEC 60950-1, GB-4943

BE4000 Solution Features and Capabilities	
Electromagnetic compatibility (EMC)	CES-003 Class A, EN55022 Class A, CISPR22 Class A, AS/NZS 3548 Class A, VCCI V-3, CNS 13438
	EN 300-386, EN 61000 (Immunity), EN 55024, CISPR 24, EN50082-1, KN22, KN24
Telecommunications standards	
	TIA-968-B, CS-03, ANSI T1.101, ITU-T G.823, G.824, IEEE 802.3, RTTE Directive
	Homologation requirements vary by country and interface type. For specific country information, refer to the online approvals database at https://www.ciscifax.com/
PSTN Trunk Connection	
SIP trunking	Up to 100 SIP trunk sessions
NIM options supported	1-, 2-, and 4-port T1/E1 cards 2- and 4-port BRI cards 2- and 4-port FXO cards 2- and 4-port FXS cards 2-port FXS, 4-port FXO combination card

Note: For country availability, dial plans, and localization information, see

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/be/be4000/release_notes/be4k_b_release_notes.html

Note: For Cisco Wireless IP Phone 8821 and 8821-WEX Wireless LAN Deployment Guide, see

https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/cuipph/8821/english/Deployment/8821_wlandg.pdf

Full Feature List

Full Feature List	
Phone Features	
<ul style="list-style-type: none"> Call forward on busy, no answer, and all (internal or external) Do not disturb (DND) Diversion of calls directly to voicemail (Transfer to Vmail) Call-waiting beep Dual line appearances per button Automatic line selection for outbound calls Consult transfer Busy lamp field (presence) Soft keys available for each connected state Access features using soft keys Last-number redial 	<ul style="list-style-type: none"> Local name directory lookup On-hook dialing Station speed dial with configuration changes from BE4000 self-service portal Support for fax machines on FXS ports Single number reach for mobility Shared line on SIP phones Support for Cisco Unified IP Phone 7800 and 8800 Series endpoints Paging 3-party conference Call park Visual list of parked calls
Trunk Features	
<ul style="list-style-type: none"> Analog FXO Basic Rate Interface (BRI) and Primary Rate Interface (PRI) support (NI2, 4ESS, 5ESS, DMS100, and DMS250) and several other switch types currently supported in Cisco IOS® Software Caller ID name and number Automatic number identification (ANI) Digital trunk support (T1/E1) 	<ul style="list-style-type: none"> Direct Inward Dialing (DID): Up to 100 numbers for SIP trunks and 100 numbers in total for ISDN trunks Direct outward dialing (DOD) SIP trunks and RFC 2833 support Call forwarding busy, no answer, and all Calling line identification presentation (CLIP) and calling name identification presentation (CNIP)
System Features	
<ul style="list-style-type: none"> Supports a maximum of 200 devices Call hold and retrieve Call park: Directed Call transfer Call transfer: Consultative Call waiting 3-party ad hoc conferencing Directory services Hunt groups: Sequential, parallel (blast), and longest idle. Limit 	<ul style="list-style-type: none"> Music-on-hold system and custom file upload Paging: Internal through IP phones Class of restriction Extension assigner Auto-registration of phones Call forward unregistered Localization support for Cisco Unified IP Phone Multi-level auto attendant

Full Feature List	<ul style="list-style-type: none"> • of 100 hunt groups and 32 members per hunt group • Intercom 	<ul style="list-style-type: none"> • Custom greeting upload for auto attendant • Time-of-day routing
Voicemail Features		
	<ul style="list-style-type: none"> • Voicemail support for up to 120 hours • Voicemail to email and Visual Voicemail • Group voicemail box • Voicemail distribution lists 	

Ordering Information

The Business Edition 4000 is available to order using the part numbers below. For more details on how and where to order, configuration details, and minimum quantities, please refer to the Cisco Business Edition 4000 ordering guide at cisco.com/go/be4000 or on Cisco SalesConnect at salesconnect.cisco.com.

Part #	Product Description
Cisco BE4000 Appliance	
BE4S-V-K9	Cisco Business Edition 4000 Appliance
Optional Network Interface Modules for PSTN Connectivity	
NIM-2FXO=	2-port Network Interface Module - FXO (Universal)
NIM-4FXO=	4-port Network Interface Module - FXO (Universal)
NIM-2FXSP=	2-port Network Interface Module - FXS, FXS-E and DID
NIM-4FXSP=	4-port Network Interface Module - FXS, FXS-E and DID
NIM-2FXS/4FXOP=	2-port FXS/FXS-E/DID and 4-Port FXO Network Interface Module
NIM-2BRI-NT/TE=	2-port BRI Network Interface Module
NIM-4BRI-NT/TE=	4-port BRI Network Interface Module
NIM-1MFT-T1/E1=	1-port multiflex trunk voice/clear-channel data T1/E1 module
NIM-2MFT-T1/E1=	2-port multiflex trunk voice/clear-channel data T1/E1 module
NIM-4MFT-T1/E1=	4-port multiflex trunk voice/clear-channel data T1/E1 module
Cisco Packet Voice Digital Signal Processor Module for Multiflex Trunk (MFT) T1/E1 NIMs	
PVDM4-32	32-channel, high-density, voice DSP module
PVDM4-64	64-channel, high-density, voice DSP module
Cisco Smart Net Total Care Service	
CON-SNT-BE4SVKSV	Smart Net Total Care for BE4000 Appliance 1 Year
Cisco Business Edition 4000 Software User License Subscription	
A-BE4K-1YR-K9	Business Edition 4000 1-Year Subscription
A-BE4K-3YR-K9	Business Edition 4000 3-Year Subscription
A-BE4K-5YR-K9	Business Edition 4000 5-Year Subscription

Note: The optional BE4000 Digital Multiflex Trunk (MFT) modules listed in the table require the appropriate Cisco Packet Voice Digital Signal Processor Module 4 (PVDM4). For more information on the E1/T1 PVDM4 ordering and configuration requirements, see <https://www.cisco.com/c/en/us/support/docs/routers/4000-series-integrated-services-routers/118792-config-isr-00.html>.

Warranty Information

The Cisco Business Edition 4000 appliance has a [Cisco 90-Day Limited Hardware Warranty](http://cisco.com/go/90-day-lhw).

Cisco Capital

Cisco Capital® can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. [Learn more.](#)

More Information

For more information on the Cisco Business Edition 4000, visit cisco.com/go/be4000.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)